

UNITED STATES PATENT APPLICATION

FOR

**METHOD AND APPARATUS FOR SECURING GAMING
MACHINE OPERATING DATA**

PREPARED BY:

WEIDE & ASSOCIATES, LTD.
330 S. 3rd St. Suite 1130
Las Vegas, NV 89101
(702)-382-4804

FIELD OF THE INVENTION

[0001] The present invention relates to gaming machine control code or operational data, and more particularly, methods and apparatus for securing such code or data.

BACKGROUND OF THE INVENTION

[0002] Gaming machines are well known and have a variety of configurations. These machines include those known as "slot" and "video" machines. In general, these machines are arranged to present a game for play by a player. When referred to as "gaming" machines, the machines are generally arranged to require that a player place a wager to be entitled to play the game and pay out winnings to the player in the event the player is a winner of the game.

[0003] These gaming machines are commonly controlled by gaming control code and operated with associated data. It is desirable to ensure that this code or data is secure. As will be appreciated, serious consequences may arise if the code is tampered with. For example, a perpetrator may attempt to alter the gaming machine control code so that game wins are registered with greater frequency, or winnings paid for normally non-winning events. No matter how accomplished, the perpetrator generally attempts to cause the code to allow the perpetrator to defraud the gaming machine and obtain money therefrom.

[0004] A problem with maintaining the gaming control code or other data secure is that in many instances, it is desirable to provide the code or data to the gaming machine from other than only a secure, read-only format. For example, so that different games may be played on a particular machine or various features of the machine updated, in many instances the gaming machine is

arranged to accept new control code or other data. As stated above, however, it is necessary to ensure that the code or data provided to the gaming machine is secure.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2

SUMMARY OF THE INVENTION

[0005] Methods and apparatus for securing gaming device control and operation code and data are disclosed.

[0006] In one embodiment of a method, control code or operational data is encrypted using a private key of a symmetrical encryption/decryption scheme. This encrypted code is provided to the gaming device. In one or more embodiments, the encrypted code is stored at a memory of the gaming device. Alternatively, the code is transmitted to the gaming device.

[0007] The gaming device is caused to seek the encrypted code and is then decrypted with the private key of the symmetrical encryption/decryption scheme. In one embodiment, when operation of the gaming machine is initiated, a decryption device or element is located, the encrypted code is located, and then the decryption device is utilized to decrypt the code.

[0008] Once decrypted, the code is stored at a memory of the gaming device for use in the operation of the gaming device. In one embodiment, the code comprises operating code enabling a gaming controller of the gaming device to present one or more particular games to a player. In another embodiment, the code comprises data for use in presenting a game or otherwise operating the gaming device. Such data may comprise audio and video data.

[0009] In one embodiment, after the code is decrypted, it is verified before it is stored or used. In one embodiment, the verification includes verification of certain token strings or signatures.

[0010] One embodiment of the invention comprises a gaming device for implementing the method of the invention. In one embodiment, the gaming device includes a gaming controller having a processor and an associated memory. The gaming controller also includes a secure access module. The decryption key is associated with the secure access module.

[0011] In one embodiment of the invention, operation of the gaming device includes the step of searching for the secure access module. The secure access module then searches for and obtains the encrypted code. The secure access module decrypts the code and stores it at the memory.

[0012] In accordance with the invention, all or substantially all of the code or data is encrypted, making the code or data unreadable without first being decrypted. Once encrypted, the code or data may be transmitted, stored or the like with little risk of tampering by an unauthorized party. The decryption key is associated with the secure access module and is thereby also securely maintained. In this manner, the gaming device control code or operating data is securely maintained.

[0013] Further objects, features, and advantages of the present invention over the prior art will become apparent from the detailed description of the drawings which follows, when considered with the attached figures.

DESCRIPTION OF THE DRAWINGS

[0014] FIGURE 1 illustrates one example environment of use of an apparatus and method of the present invention;

[0015] FIGURE 2 is a block diagram of a gaming machine controller for implementing a method in accordance with the present invention;

[0016] FIGURE 3 is a flow diagram illustrating in a method in accordance with an embodiment of the invention; and

[0017] FIGURE 4 is a flow diagram illustrating a particular implementation of the method illustrated in Figure 3.

FIGURE 1

DETAILED DESCRIPTION OF THE INVENTION

[0018] The invention is a method and apparatus for securing control code or other data for use by a gaming machine. In the following description, numerous specific details are set forth in order to provide a more thorough description of the present invention. It will be apparent, however, to one skilled in the art, that the present invention may be practiced without these specific details. In other instances, well-known features have not been described in detail so as not to obscure the invention.

[0019] In general, the invention is a method and apparatus for providing secure code to a gaming device. As used herein, the term “code” generally means instructions or information in any of a variety of forms for use in controlling one or more functions of a gaming device. This code may comprise executable control code for controlling the operation of the gaming device or one or more aspects thereof, such as for presenting a game for play and controlling the various peripheral devices/features of the gaming machine, and/or may comprise operational information such as video data (such as for generation of images) or sound data (for use in generating sound) for use in presenting the game. The method and apparatus of the invention may be implemented in a wide variety of environments generally comprising “computing” environments, such as electronically and electro-mechanically controlled devices for presenting games. Figure 1 illustrates the preferred environment to which the invention is applied, that of an electronic gaming device 20.

[0020] The gaming device 20 illustrated in Figure 1 is illustrated as but one example of a device with which the invention is useful. As illustrated, the electronic gaming device 20 includes a cabinet 22 housing a display 24. The display 24 may comprise a video display or one or more

mechanically or electro-mechanically controlled devices, such as reels. The display 24 comprises one peripheral of the gaming device 20.

[0021] In one embodiment of such a gaming device 20, a player is permitted to play a game once a bet has been placed. In order to place a bet, the player must first provide credit in the form of monies or other elements of value as required by the game operator. In the embodiment illustrated, the gaming device 20 includes a coin acceptor 26 for accepting one or more coins, tokens or the like. In general, the coin acceptor comprises another peripheral device, and may have at least the function of validating presented coins and indicating the value of the accepted coins. The device 20 illustrated also includes a bill validator 28 for accepting paper currency, tickets or the like. The bill validator 28 is yet another peripheral device, and may have at least the function of validating the presented bill monies and indicating the value of the accepted bills.

[0022] Once the player has provided the appropriate credit, the player is permitted to place a bet. In one embodiment, the device 20 includes a bet button 30 for indicating the desired bet to be placed. Once a bet is placed, the player is permitted to start the game. In the embodiment illustrated, the game involves the rotation of displayed reels. The player depresses a spin button 32, and the display is caused to display 24 images of simulated rotating reels.

[0023] A player may be paid a winning if the outcome of the game is a particular predetermined outcome as displayed by the display 24. These winnings may be paid by a coin dispenser (not shown) to a coin tray 34. Alternately, the player may be paid winnings in the form of a ticket dispensed by a ticket generator 36.

[0024] Many gaming devices, such as that illustrated, include a card reader 38 for reading information from a player card. This information may be used in a player tracking system, as is well known in the art.

[0025] In general, it will be appreciated that a gaming device 20 such as illustrated may include a variety of peripheral devices or elements for implementing the game, both in permitting input by a player and providing output to the player. These devices may include those described above and/or a wide variety of other devices. It will be appreciated that the present invention is applicable to a gaming device 20 such as that illustrated, and gaming devices arranged to present a wide variety of other games and configured in a wide variety of other manners.

[0026] Referring now to Figure 2, in a preferred embodiment of the invention, the gaming machine 20 includes a computing environment in which data is utilized to control the operation of the gaming device 20 or otherwise present a game for play by a player. In one or more embodiments, the gaming machine 20 includes a master gaming controller 42. As illustrated, the master gaming controller 42 includes a processor 44 and memory for storing data. In a preferred embodiment, the master gaming controller 42 includes a memory in the form of at least one data mass storage device 46. In one embodiment, the mass storage device 46 is capable of storing data comprising operational code. As is well known, the mass storage device(s) 46 may comprise a wide variety of devices and mediums capable of storing electronic data, such as a hard drive, CD-ROM, DVD-ROM, floppy disc, tape or the like.

[0027] In a preferred embodiment, the memory for storing data also includes one or more memory devices permitting higher speed data access. In one embodiment, this memory comprises read-only-memory (ROM) 50. The memory may comprise a variety of other data storage and access devices, such as static RAM, Dynamic RAM, Synchronous Dynamic RAM, RD RAM and FLASH ROM. Besides a mass storage device such as a hard drive, in one embodiment, the master gaming controller 42 includes a read-only memory device in the form of an EPROM 52. As described below, in the preferred embodiment, code enabling start-up of the gaming controller is contained on the EPROM, while game specific code is stored on the hard drive. Of course, the various code, including the boot-up and game code may be stored in a variety of manners using a variety of storage devices.

[0028] In one embodiment, a communications or data link 48 is provided between the master gaming controller 42 and another device. The other device may comprise a remote server or computer. The data link 54 permits transmission of data to and/or from the master gaming controller 42. The data link 54 may comprise a wired or wireless communications link, e.g. Ethernet, Token Ring, Firewire®, etc. As stated above, the data link 54 may be useful in transmitting player tracking or similar information regarding play of the gaming device 20 to a remote location.

[0029] As is well known, appropriate input/output controllers and devices are provided for permitting data to flow to and from the processor 44 of the master gaming controller 42. In one or more embodiments, at least one bus 56 is provided for this purpose. In one or more embodiments, additional hardware and/or software may be provided for permitting communications with the master gaming controller 42 through the data link 54. For example, data may be transmitted through

the link 54 using an IEEE-1394 protocol/architecture. In such an embodiment, a physical card including at least one port may be associated with the bus. This card may include hardware and/or software embodying the IEEE-1394 protocol, including physical, link and other layers as defined thereby. The port may be arranged to accept a network wire or cable. In this manner, data may be transmitted from the controller 42 to a remote location, or vice versa, over the link 54.

[0030] As illustrated, one or more peripherals 60 are associated with the master gaming controller 42. The peripherals 60 may include, but are not limited to, the display 24, coin acceptor 26, bill validator 28, ticket generator 36, and card reader 38 of the gaming machine 20 illustrated in Figure 1. Those of skill in the art will appreciate that the peripherals 60 need not include all of those devices so described, and may include a variety of other devices. At least one communications or data link 58 is provided between each peripheral 60 and the master gaming controller 42. In one embodiment, the communications link 58 permits data to be transferred between the processor 44 of the master gaming controller 42 and each peripheral 60 via the system bus 56 of the master gaming controller 42. Again, this link may comprise a wired or wireless communications pathway.

[0031] In a preferred embodiment of the invention, the master gaming controller 42 includes a secure access module (SAM) 62. As described in greater detail below, the SAM is preferably a computing module which is capable of decrypting symmetrically encrypted data. In one embodiment, the SAM 62 includes a private key. Such modules are available, such as from Gemplus SA.

[0032] In accordance with the present invention, at least a portion of the code or data which is used to control or permit the operation of the gaming machine can be changed, such as by update or complete replacement. This code or data may be stored in a memory associated with the gaming device 20, such as the mass storage device 46 of the master gaming controller 42.

[0033] The configuration of the gaming device 20 described above is particularly adapted to implement a method of securing gaming machine control or operation data. Such a method is described in more detail below.

[0034] A method in accordance with the invention will be described with reference to Figure 3. In one embodiment, in a first step S1, code to be provided to a gaming machine is encrypted. In the preferred embodiment of the invention, this step comprises encrypting all or substantially all of the code or data to be provided to the gaming machine using a key in a symmetrical encryption scheme. Such schemes include Data Encryption Standard (DES), FEAL, Blowfish, and IDEA. These encryption schemes are known to those of skill in the art. In general, in such schemes, a single key is provided and this key is both used to encrypt and decrypt the data. This key is referred to as the "private" key, as the key must remain private or secret to both the encryptor and decryptor, or else the data may be readily decrypted. In general, the keys which are used to encrypt and decrypt are referred to herein as comprising the same key. As is known in the art of symmetrical encryption however, the keys need not be perfectly identical, but may be slightly different from one another and still result in symmetrical encryption/decryption. As referred to herein, when the term "first key," "private key" or similar terminology is referred to in the context of encryption and decryption, it is

contemplated that the keys are of the type permitting symmetrical encryption/decryption and thus may be identical or trivially deviant.

[0035] In a step S2, the encrypted code is stored for later access and use by the gaming machine. As described in greater detail below, in one or more embodiments, the encrypted code may be stored on a hard drive associated with the gaming machine. In one or more other embodiments, the encrypted code may be stored remotely from the gaming machine.

[0036] In a step S3, the decrypting key (which may be referred to as the first or private key) is provided to the gaming machine. In one embodiment, the private key is stored on or embedded in the SAM 62. In one or more other embodiments, the private key may be provided as part of software of the gaming machine.

[0037] In a step S4, the private key provided to the gaming machine is utilized to decrypt the encrypted code. In the preferred embodiment of the invention, the private key is utilized to decrypt the symmetrically encrypted code. Such a decryption process is well known in the art.

[0038] In a step S5, the decrypted code is installed or otherwise executed by the gaming machine. In one embodiment, the decrypted code is stored in the RAM 50 of the gaming machine 20 and is utilized to control the operation of the machine.

[0039] Figure 4 illustrates an operation flow diagram of a particular implementation of the method illustrated in Figure 3 and described above. In a step S100, code or data for use in

controlling/operating a gaming machine is created or generated. This step may comprise, for example, creating code for controlling the overall operation of a gaming machine. In other embodiments, the step may comprise creating code for controlling only certain aspects of a gaming machine. The step may comprise generating data for use by the gaming machine used in its operation, such as sound or video data for use by the machine.

[0040] In a step S101, the code or other data is encrypted. As described above, this step preferably comprises encrypting the data using a private key in a symmetrical encryption process. The result of this step is the generation of encrypted code. As described above, it is preferred that the entirety of the code, or at least substantially all of the code be encrypted. In this manner, the code is not readable by a third party without first being decrypted.

[0041] In a step S102, the encrypted code is stored for access by the gaming machine. In one embodiment, the encrypted code is stored on the mass storage device 46 (such as a hard drive) of the gaming machine.

[0042] Of course, in one or more embodiments, the encrypted code may be stored between the time it is created and when it is transmitted and stored at the gaming device. For example, the code may be encrypted at a first computing device, and then stored on a CD-ROM. The encrypted code on the CD-ROM may be transferred from the CD-ROM to the mass storage device 46 of the gaming machine, such as via an optical reader associated with the gaming device.

[0043] In one or more other embodiments, the encrypted code is stored at a location remote from the gaming machine, but accessible thereby. For example, the encrypted code may be stored on a hard drive associated with a remote computing device, server or the like which is associated with the gaming machine 20 via a communications link, such as the communication link 54 described above.

[0044] In one or more embodiments, the encrypted code may be stored and then associated with the gaming device. For example, the encrypted code may be stored to a CD-ROM, and the code accessed directly by the gaming machine from that CD-ROM (and not stored to the hard drive of the gaming machine itself).

[0045] In a step S103, the operation of the gaming machine 20 is initiated. In a preferred embodiment, the master gaming controller 46 of the gaming machine 20 “boots” from code stored at the EPROM 52 or other secure memory device. Preferably, the EPROM 52 is programmed with authenticated operational code, such as at the location of the gaming device manufacturer. This operational code preferably includes the necessary base instructions for causing the master gaming controller 46 to begin operation, including performing the later described functions. Preferably, the EPROM 52 is not provided with code for implementing a particular game, but only such code as to enable operation of the master gaming controller 42 to be able to use other code for implementing a game.

[0046] In a step S104, a search is conducted for a decryption device. In a preferred embodiment, this step comprises providing the EPROM 52 with code causing a polling for a decryption device.

In one embodiment, the polling is for a SAM, such as the SAM 62 of the master gaming controller 42.

[0047] In a step S105, the necessary code is obtained in decrypted form. In one embodiment, this step comprises the SAM 62 searching for the encrypted code and obtaining the code. In one or more embodiments, this step comprises the transferring of encrypted code from the mass storage device 46. In one or more embodiments, the code may be provided from a CD-ROM or through a communication link from a remote location.

[0048] In a step S106, the encrypted code is decrypted. In a preferred embodiment, this step comprises decrypting the encrypted code with they private key which is associated with the SAM 46. The private key may be a copy of the private key which is used to encrypt the code. As stated above, though the same term “private key” is used here to identify the key used to encrypt and decrypt, in the symmetrical encryption/decryption process these keys need not be identical to facilitate the process. Nonetheless, the same term is used because the keys are for practical purposes, the same.

[0049] In a step S107, the decrypted code is stored. In one or more embodiments, this step comprises storing the decrypted code to the RAM 50 or other high speed accessible memory of the master gaming controller 42.

[0050] In a step S108, the decrypted code is executed. In a preferred embodiment, this step comprises the processor 44 of the master gaming controller 42 executing or using the decrypted code

to present a game or other data to the gaming device 20. In the event the code comprises data, then the execution step may simply comprise providing the data to a device of the gaming device. For example, the decrypted code may comprise audio data which is delivered to an audio system for generating particular sounds.

[0051] A variety of other embodiments of the invention are contemplated. In one or more embodiments, a plurality of SAMs may be provided, each having a different private key associated therewith. In this arrangement, blocks of code may be encrypted with different private keys and then selectively decrypted, as is desired, using a particular SAM having the corresponding private key. In this arrangement, an operator may decrypt only a specific portion or block of code/data from a group of code. For example, a gaming manufacturer may load two versions of operating code on a gaming machine 20 during manufacture. One version of the code may be for operation of the gaming machine 20 in one locale (such as the United States), and the other version of the code for operation of the gaming machine 20 in another locale (such as Australia). When the gaming machine 20 arrives at its particular destination, the operator may install a particular SAM. This SAM has a private key which will only decrypt the portion of the code which was encrypted with the corresponding private key. Preferably, the SAM is selected to decrypt the code which is necessary to operate the game in the particular jurisdiction in which the gaming device 20 is to be operated.

[0052] In one embodiment of the invention, the method of the invention may be accomplished without a SAM, and thus the gaming device 20 need not include a SAM. For example, in one embodiment, the private key necessary for decryption may be sent to the master gaming controller

42 from a remote location, such as by the data link 54. The key may be stored in the memory of the gaming controller 42.

[0053] In one embodiment, instead of providing a SAM, the decryption may be accomplished by software executed by the processor 44 of the gaming device 20. In such event, the private key may be stored at the gaming device 20 or be transmitted thereto.

[0054] In one embodiment of the invention, the decryption may occur through the RAM 50 or other memory, rather than the SAM 62. In such instance, the private key may be provided from the SAM or other location to the RAM 50. Because of the speed of data access at the RAM, such an arrangement may increase the speed of decryption.

[0055] In one or more embodiments, the SAM 62 or other hardware/software for accomplishing the decryption may be remote from the gaming device 20. For example, in one embodiment, when starting the operation of a gaming device 20, an operator may plug in a particular SAM or accomplish the decryption remotely, such as by uploading the encrypted code from the gaming device 20 through the communications link 54, decrypting it at a remote location (such as a remote computer having a SAM) and then transmitting the decrypted code back to the gaming device 20 for storage and execution.

[0056] In one or more embodiments, the initiation of the decryption process may be triggered by other than initiating operation of the gaming machine. This includes, for example, when a gaming machine is manufactured, shipped and installed at a particular location. When the gaming machine

is turned on, it may then immediately seek the encrypted control/operation code and data to begin operation. In some instances, however, the gaming machine may already be operational and the operator may desire to provide new code to the gaming machine. This code may comprise code enabling the gaming machine to present an entirely new game, or may be as simple as new video data for presenting new images to players. In any event, in that instance, step S103 referred to above may comprise the step of causing the gaming machine to begin a code decryption and installation process. For example, the gaming controller 42 may be provided with a reset function which causes the controller 42 to seek new code, seek the decryption device/key, and then decrypt and use the code or data.

[0057] In one or more embodiments of the invention, the method may include additional authentication steps. In one embodiment, after the code or data is decrypted, some of the decrypted data may be confirmed. For example, the code may be provided with one or more token strings or signatures. After the code is decrypted, the method may include checking for these strings or signatures before the code or data is utilized in the operation of the gaming machine.

[0058] In one or more embodiments, the decrypted data may be transmitted to a remote source for authentication. For example, the decrypted data may be transmitted to a remote server having an authentic copy of the code/data against which the recently decrypted code may be verified. If the decrypted code does not match the authentic code, then it is determined that either the private key used to decrypt the data or the encrypted data itself was tampered with. In that event, the code or data is not used by the gaming machine, and any necessary steps may be taken to ensure the

security of the gaming machine and associated code. For example, the private key may be erased and the encrypted code erased and the process started anew.

[0059] As stated above, in one embodiment, the key is stored at the SAM to maintain the security of the key. In one or more embodiments, the private key may be erased after use to prevent it from remaining available to a third party over time.

[0060] Many advantages are realized by the invention. In accordance with the invention, gaming control code is provided to a gaming device 20 in a totally encrypted format. Such a format prevents an outsider from viewing or using any of the code. This overcomes problems associated with asymmetric encryption techniques currently used today in which the code remains in a readable and usable form, and only a signature is encrypted and usable to ensure that the code is authentic. In accordance with the present invention, the entirety of the code is encrypted, preventing it from being seen or used by another without the required key for decryption.

[0061] The use of the symmetric encryption in accordance with the invention permits all or substantially all of the gaming code to be encrypted in a manner which is efficient. This method of encryption is very fast and thus does not slow the operation of the gaming machine 20. Asymmetric encryption is useful in encrypting data, but due to its complexities, is very slow and permits only the encryption of a signature (and not the entirety of the data) if the process is not to interfere with other activities. For example, some gaming devices are provided with limited computing power to reduce their cost of manufacture and repair. With the limited computing power, attempting to decrypt more than only an asymmetrically encrypted signature associated with code would result

in slow or delayed operation of the device. Unlike the present invention, the complexity of asymmetric encryption and the necessity of significant processing power to accomplish asymmetric encryption/decryption prevents encryption of the entire data or even substantially all of the data. In accordance with the present invention, however, a security scheme provides for encryption of all or substantially all of the code/data.

[0062] The invention provides for a method of providing code to a gaming device in which the integrity of the code is ensured. Again, because the all or most of the code is encrypted, unauthorized persons may not view the code nor tamper with the code (if the code is tampered with, its execution will fail because it will not decrypt properly).

[0063] In accordance with the invention, decryption is conveniently accomplished, such as by resident software or a secure access module. A particular advantage of the module is that it is readily adaptable to the master gaming controller of currently existing gaming devices. Another advantage is that the private key is embedded in the module and thus does not need to be transmitted to the gaming device, lessening the risk that the private key may be intercepted and obtained by unauthorized persons.

[0064] It will be understood that the above described arrangements of apparatus and the method therefrom are merely illustrative of applications of the principles of this invention and many other embodiments and modifications may be made without departing from the spirit and scope of the invention as defined in the claims.